

2024

YOUR FLOOR'S POTENTIAL

Flooring solutions for Garages, Workshops, Warehouses, Gyms, Factories, Commercial, Temporary Spaces and more.

MAXIMISE YOUR FLOOR'S POTENTIAL

A COLD, GREY, DUSTY CONCRETE FLOOR CAN BE A PRETTY UNWELCOME SIGHT - EVEN IF YOU'VE GOT A CLASSIC SUPERCAR PARKED ON IT. WHICH IS WHY WE'VE DEVELOPED MOTOTILE - THE ULTIMATE RANGE OF INTERLOCKING TILES FOR GARAGE, SHOWROOM, RETAIL AND WAREHOUSE FLOORS.



The tiles simply snap together. No nails - no glue, which means your floor can be easily transferred if you move home.



A Mototile floor can provide the finishing touch to any garage.

Suitable for any room in your house to give it a fresh and modern feel.

THE SNAP FAST FLOORING SYSTEM

UNIT 15 THE I.O CENTRE, STEPHENSON ROAD SEGENSWORTH, FAREHAM, HAMPSHIRE PO15 5RU



Call: 01329 623115 Email: sales@mototile.com

WWW.MOTOTILE.COM



MOTOTILE.COM & INDUSTRIAL-FLOOR-TILES.CO.UK ARE PART OF THE STORMFLAME GROUP OF COMPANIES

MOTOLOCK HEAVY DUTY

COINTOP AND DIAMOND PLATE FINISH INTERLOCKING FLOOR TILES.

Perfect for the residential garages, workshops or suitable for warehouses and exhibition floors. MotoLock tiles create tough industrial floors capable of taking fork lift trucks and similar equipment



MotoLock tiles create floors that are resistant to abrasion, impact and the penetration of liquids including oils, solvents, etc. and that withstand heavy traffic. MotoLock tiles will take the high compression loads found in workshops, warehouses, garages, stores and distribution centres while the neat design is suitable for retail, playroom, gym, garage, utility room or basement floors. Other applications include railway stations, airports, passenger terminals, power plants, hangars, fire stations etc. The tiles can be laid quickly and easily on any reasonably smooth and level concrete base creating ready-for-use, dust-free, anti-skid surfaces.

No special preparation of the existing floor is required. The floor tiles are resistant to mechanical and chemical damage and tolerant of under-layer moisture. Using interlocking tiles makes a floor easy to repair and even portable if need be.

3 EASY WAYS TO ORDER

Call: 01329 623115

Email: sales@mototile.com

Email: www.mototile.com

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. Please request samples before ordering. If you require a solid true colour, we would suggest the virgin material range.

"Mototile was recommended to me by a colleague. I went on their website which was easy to use and understand. I choose the tiles I wanted and used their planner to estimate how many I would require. Placed my order which was confirmed straight away and they confirmed the delivery date. Followed the great instructions supplied and was amazed how easy it was to complete. I cannot believe how its transformed my garage!" *Adrian*



COINTOPS

DIAMOND PLATE

7mm thick	0000			
Virgin Range	TILES 495 x 495 x 7mm	RAMPS 495 x 140 x 7mm	TILES 495 x 495 x 7mm	RAMPS 495 x 140 x 7mm
Black	GFTHDBLKCT	GFRHDBLKCT	GFTHDBLKDP	GFRHDBLKDP
Dark Grey	GFTHDDKGRYCT	GFRHDDKGRYCT	GFTHDDKGRYDP	GFRHDDKGRYDP
Light Grey	GFTHDLGRYCT	GFRHDLGRYCT	GFTHDLGRYDP	GFRHDLGRYDP
Virgin Coloured				
Blue	GFTHDBLUCT	GFRHDBLUCT	GFTHDBLUDP	GFRHDBLUDP
Yellow	GFTHDYELLCT	GFRHDYELLCT	GFTHDYELLDP	GFRHDYELLDP
Red	GFTHDREDCT	GFRHDREDCT	GFTHDREDDP	GFRHDREDDP
Orange	GFTHDORGCT	GFRHDORGCT	GFTHDORGDP	GFRHDORGDP
Electric Blue	GFTHDELBLUCT	GFRHDELBLUCT	GFTHDELBLUDP	GFRHDELBLUDP
Light Green	GFTHDLGRNCT	GFRHDLGRNCT	GFTHDLGRNDP	GFRHDLGRNDP
Light Blue	GFTHDLBLUCT	GFRHDLBLUCT	GFTHDLBLUDP	GFRHDLBLUDP
Recycled Range				
Black	GFTHDBLKCTRCY	GFRHDBLKCTRCY	GFTHDBLKDPRCY	GFRHDBLKDPRCY
Mid Grey	GFTHDMGRYCTRCY	GFRHDMGRYCTRCY	GFTHDMGRYDPRCY	GFRHDMGRYDPRCY
Light Grey	GFTHDLGRYCTRCY	GFRHDLGRYCTRCY	GFTHDLGRYDPRCY	GFRHDLGRYDPRCY
Tile Packs		E PACK 400 TILE PACK 5 x 7mm 495 x 495 x 7mm		E PACK 400 TILE PACK 5 x 7mm 495 x 495 x 7mm
Black	GFTHDBLKCTRCY/100 GFTHDBLK	CTRCY/200 GFTHDBLKCTRCY/400	GFTHDBLKDPRCY/100 GFTHDBLK	DPRCY/200 GFTHDBLKDPRCY/400
Mid Grey	GFTHDMGRYCTRCY/100 GFTHDMGR	YCTRCY/200 GFTHDMGRYCTRCY/400	GFTHDMGRYDPRCY/100 GFTHDMGR	YDPRCY/200 GFTHDMGRYDPRCY/400
Light Grey	GFTHDLGRYCTRCY/100 GFTHDLGRY	YCTRCY/200 GFTHDLGRYCTRCY/400	GFTHDLGRYDPRCY/100 GFTHDLGRY	/DPRCY/200 GFTHDLGRYDPRCY/400

Other virgin colours subject to minimum order quantity P.O.A. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.

MOTOVENT RIB/DRAIN TILES

INTERLOCKING SELF DRAINING FLOOR TILES.

Superior strength MotoVent Tiles perfect for your garage flooring or workshop flooring. The MotoVent Tiles are designed with self draining channels allowing debris and dirt to drain through

MotoVent is the ultimate modular tile, renowned for its superior strength and exceptional performance. What sets MotoVent tiles apart is its unique construction as the only solid flooring tile created with a 4-point injection mould, ensuring unmatched durability and reliability.

Designed to withstand adverse and extreme elements, MotoVent tiles are suitable for both indoor and outdoor use. Its quick and easy interlocking installation makes it a breeze to set up, saving you time and effort. The high fade resistance, thanks to UV stabilizers mixed into the material and colour pigments, ensures your tiles retain their brilliance for years to come. The non-slip surface adds an extra layer of safety. Say goodbye to debris and dirt buildup with MotoVent's self-draining channels. allowing for efficient drainage. Furthermore, these tiles are resistant to oil. gas. acids. alkalis, and solvents, including Skydrol, making them suitable for a wide range of environments. With a remarkable ability to withstand up to 70,000 lbs of rollover weight and a compressive strength of 3120 psi, MotoVent tiles are built to handle heavy-duty applications. No matter the temperature, MotoVent delivers outstanding performance. With a commercial-grade heat resistance that tolerates temperatures between -22°F to +248°F, you can rely on these tiles in any climate. They also boast a fire rating of HB (Horizontal Burn), ensuring enhanced safety.

3 EASY WAYS TO ORDER

Call: 01329 623115

Email: sales@mototile.com

Email: www.mototile.com

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. Please request samples before ordering. If you require a solid true colour, we would suggest the virgin material range.

"Really pleased with the end result. Top quality tiles. Its great there is so much choice and like the brighter colours as you can see!. Its transformed the space. Thanks for your help and advice." *Phil*



SELF DRAINING CHANNELS

18mm	n thick I			STATISTICK	ANN ANN ANNO	Care
Nev	w PVC	TILES 400 x 400 x 18mm	MALE RAMPS 400 x 60 x 18mm	FEMALE RAMPS 400 x 60 x 18mm	CORNER RAMPS 60 x 60 x 18mm	
	Aqua Blue	GFTMVAQBLU	-	-	-	
	Black	GFTMVBLK	GFRMVBLKM	GFRMVBLKF	GFCMVBLK	
	Dark Grey	GFTMVDKGRY	GFRMVDKGRYM	GFRMVDKGRYF	GFCMVDKGRY	
	Electric Blue	GFTMVELBLU	-	-	-	
	Green	GFTMVGRN	-	-	-	
	Gold	GFTMVGOLD	-	-	-	
	Lime Green	GFTMVLMGRN	-	-	-	
	Orange	GFTMVORG	-	-	-	
	Pink	GFTMVPINK	-	-	-	
	Purple	GFTMVPUR	-	-	-	
	Red	GFTMVRED	-	-	-	
	Dark Blue	GFTMVDKBLU	-	-	-	
	Light Grey	GFTMVLTGRY	-	-	-	
	Teal	GFTMVTEAL	-	-	-	
	White	GFTMVWHT	-	-	-	
	Yellow	GFTMVYELL	-	-	-	
				1		

MOTOMAT - UP TO 14MM THICK TILES

RECYCLED PVC INTERLOCKING TILES.

'Jigsaw' interlocking tiles, with a generous 12mm overall thickness - plus another 2mm for the tread pattern making them perfect for anti-fatigue flooring, noise and vibration control, thermal insulation and areas subject to standing water. For fork lift use we would recommend the MotoLock range.

MotoMat is a moulded, non-slip tile with a cellular structure that gives excellent durability and comfort. With it's unique puzzle join they are very quick and simple to install. No special skills or tools needed and there's no costly base works required either.

MotoMat is perfect for protecting floors whether in a large factory or just the floor in your garage. They are designed to absorb shock and noise, are suitable for all weathers and extreme temperatures. And to cap it all, MotoMat is fully wheelchair, pushchair and trolley compatible. MotoMat vinyl tiles are high quality, durable and fire resistant and should not be confused with the cheaper foam alternatives. Available in a recycled PVC black colour.

The generous 12mm overall thickness plus another 2mm for the tread pattern makes these tiles ideal for the following applications: Anti-Fatigue Flooring, Noise and Vibration Control, Thermal Insulation, Wheelchair, pushchair, trolley compatible, Workshops, garages, Gym, Fitness Centres, Exhibitions, Events, Games Rooms, Factories, Showrooms, Temporary Floor Protection. The MotoMat is suitable for both indoor, outdoor use.


3 EASY WAYS TO ORDER

Call: 01329 623115

Email: sales@mototile.com

Online: www.mototile.com

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. As per the MotoLock range, please request samples before ordering. The swatches above are for illustrative purposes only and should not be used for accurate colour matching "Finally finished and fitted your tiles. They are brilliant and very happy with them and love the way they look. Thanks for the design and help" *Ian*



COINTOPS DIAMOND PLATE PI AIN 12mm thick I TILES TILES RAMPS RAMPS FEMALE MAI F Virgin/Recycled 470 x 470 x 14mm 470 x 470 x 14mm 470 x 60 x 14mm 470 x 60 x 14mm Black Recycled GETCTBI KRCY GETDPBI KRCY GETXBI KRAMPE GETXBI KRAMPM Yellow Virgin GFTXYELRAMPF GFTXYELRAMPM 100, 200, 400 TILE PACK 100, 200, 400 TILE PACK Tile Packs 470 x 470 x 14mm 470 x 470 x 14mm GFTDPBLK GETCTBLK GFTCTBLK GFTCTBLK GFTDPBLK GFTDPBLK Black Recycled RCY/100 RCY/200 RCY/400 RCY/100 RCY/200 RCY/400

Volumn floor tile packs also available in the MotoLock product range



3 EASY WAYS TO ORDER

Call: 01329 623115

Email: sales@mototile.com

Online: www.mototile.com

Please call us for a free colour swatch or ask for one of our **sample packs.**


AVAILABLE AS COINTOP PATTERN OR DIAMOND PLATE PATTERN MANUFACTURED IN BUDGET PRICED RECYCLED PVC OR VIRGIN MATERIAL.

Other virgin colours subject to minimum order quantity P.O.A. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. As per the MotoLock range, please request samples before ordering. The swatches above are for illustrative purposes only and should not be used for accurate colour matching

ONLINE LAYOUT & CALCULATOR TOOL

TRY OUT COLOUR SCHEMES, WORK OUT QUANTITIES USING THE FLOOR DESIGNER TOOL. ONCE YOU HAVE A DESIGN HEAD OVER TO OUR ONLINE QUOTE CALCULATOR TO GET AN ESTIMATED FLOORING COST.



WHERE CAN I SEE THE MOTOTILE RANGE?

With a huge range of Mototile interlocking tiles on permanent display, why not come and visit our purpose-built showroom at Fareham in Hampshire. We are just 5 minutes from Junction 9 of the M27 and we're open Monday - Friday, 9am - 5pm and Saturday by appointment.

Alternatively, why not visit one of the many auto-related events that we exhibit at each year such as: **Goodwood Festival** of Speed, Goodwood Revival, Auto Italia at Brooklands, Auto Jumble at Beaulieu, Stoneleigh Kit Car Show,Cholmondeley Pageant of Power and the Classic Motorshow at the NEC.

You will also find us at the **Goodwood Free Breakfast Club**, which runs on the first Sunday of every month from March through to November.



FOR MORE INFORMATION

Call: 01329 623115

Email: sales@mototile.com



Online: www.mototile.com

ALTERNATIVELY SEARCH MOTOTILE ON SOCIAL MEDIA FOR THE NEXT EVENT WE'RE ATTENDING.

FAQ'S

Although we always love to hear from you, to save you a bit of time we've pulled together a collection of some questions we find ourselves frequently answering, however if there's something you need clarifying about Mototile, that's not covered below, then please call us on 01329 623115.

How much does it cost to tile a typical garage floor?

Tiling a typical 3m x 5m garage would cost (excludes VAT and express delivery charge):

- MotoMat range From under £329.
- MotoVent all colour range From under £442.
- MotoLock recycled range From under £493.
- MotoLock virgin PVC colour range From under £556.

Use our Tile Cost Comparison / Calculator on our website.

Where are your tiles manufactured?

All of our tiles and ramps are manufactured in the UK.

Can I buy just one tile or a few tiles e.g. to change a colour scheme?

Yes. We sell all tiles and ramps individually and in packs.

Do you delivery outside the UK?

For orders and deliveries outside the UK please contact us.

Why are your tiles cheaper than some others, have you cut corners?

Tiles are manufactured from high grade PVC materials to a full specification. Our prices reflect a focus on business essentials and careful cost control.

Do I need special tools to install Mototile system?

No. Generally no specialist tools are required, although a non marking rubber mallet makes light work of fixing tiles together. You can buy one from us. Many installations require only a sharp knife for cutting the tiles, a tape measure and a straight edge.

Can the tiles be custom coloured e.g. to match my car?

Colour matching is achievable, subject to a minimum quantity order - please call for more information and prices.

What type of floors can Mototile be laid on?

The tiles can be laid onto any hard, level surface including concrete and wooden floors, ceramic tiled floors, linoleum and vinyl. However, they are not suitable for fitting directly over carpet or carpet tiles.

Can the floor be used straight away?

Yes, unless curing time for adhesive is required (e.g. for securing tile ramps), the entire floor can be used immediately it is laid.

Can I use jacks and stands on the tiles?

MotoLock heavy duty tiles will take spot loads, we would always suggest using an additional tile between the jack and your new floor. A more widely spread load is safer to work with too.

How do you quote / measure tile dimensions?

We quote MotoLock and MotoMat tile requirements based on an inside edge to outside edge measurement. The MotoVent tile requirements are based on the inside to inside edge measurement. We have found that this improves estimating accuracy. Other dimensions, which take account of 1) all tabs and 2) no tabs. See dimensions below:

Tile Type	Outside to Outside (mm)	Inside to Inside (mm)	Inside to Outside (mm)
MotoLock	510 x 510	480 x 480	495 x 495
MotoMat	495 x 495	445 x 445	470 x 470
Tile Type		Inside to Outside (mm)	Inside to Inside (mm)
MotoVent		404 x 404	400 x 400
How do Lelos	the tiles?		

How do I clean the tiles?

Sweep or vacuum the tiles then sponge mop them with a washing-up liquid solution: use the makers recommended hand-wash concentration level. Don't use harsh detergents, polishes or scouring powders. Never use abrasives.

GARAGE MAKEOVERS AND PROJECTS GALLERY

Check out the Mototile review, seen on our website, social media pages or you can see some tough tile designs in action or go online and click the Customer Garage Gallery button.






INFO-TILES & WAYFINDERS

DISPLAY IMPORTANT MESSAGES AND EMERGENCY LOGOS IN A PRIME POSITION

By adding print to our industrial Floor Tiles you can easily transform your floor into key information points. Show customers the way to exclusive promotions, display off-limit areas, make staff aware of places of risk, or simply brand your floor with a logo for the perfect finishing touch for your business.



CONTACT US TODAY AND GET A QUOTE FOR ADDING PRINT AND MESSAGING TO YOUR FLOOR.



Email: sales@mototile.com



Online: www.mototile.com

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. As per the MotoLock range, please request samples before ordering. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.